

A check-list of Norwegian Tachinidae (Diptera) 1

KNUT ROGNES

Rognes, K. 1986. A check-list of Norwegian Tachinidae (Diptera). *Fauna norv. Ser. B*, 33, 69—76.

Tachinid material from Norway in the museum collection of the Universities in Bergen, Oslo and Tromsø and in author's collections has been revised and a check-list of the 190 species known at present from Norway is presented.

Knut Rognes, Stavanger Lærerhøgskole, Postboks 2521 Ullandhaug, N-4001 Stavanger, Norway.

The check-list presented below, which replaces the previously published lists of Siebke (1877), Schøyen (1889), Bidentkap (1892, 1898, 1901) and Ringdahl (1944b, 1952), is based upon a revision of the material of parasite-flies (Tachinidae) from Norway in the museum collections of the Universities in Bergen (mainly O. Bidentkap, A. Fjellberg, L. Greve, A. Løken, N. Knaben, T.R. Nielsen leg.), Oslo (mainly J. Knaben, R. Krogerus, J.H.S. Siebke leg.) and Tromsø (mainly T. Soot-Ryen leg.) (about 950 specimens) and in my own collection (about 1350 specimens). In addition a few small private collections have been examined (K. Berggren, Kristiansand, B. Sagvolden, Rollag, J.H. Simonsen, Oslo). I have not seen the V. Storm collection in DKNVS-Museet, Trondheim revised by Ringdahl (1944a). Occasional specimens in foreign collections (coll. Ringdahl, Lund, coll. Boheman, Stockholm) have also been examined. I have examined specimens from Norway of all the species listed except 2. My reasons for listing these are given in the annotations to the list at the end of the paper.

Ringdahl (1952) listed 101 species from Norway on the basis of his published revisions of the Tromsø and Trondheim collections (Ringdahl 1944a, 1944b), his unpublished examination of parts of the Oslo collection and his knowledge of the Boheman and Zetterstedt collections in Sweden (Ringdahl 1934, 1945) which contain specimens (including types) from Norway. Nevertheless, many records have apparently been taken directly from e.g. Siebke (1877) and Bidentkap (1892, 1898) without reexamination of the specimens involved. Ringdahl (1954) added 6 species and Rognes (1981, 1982, 1983a, 1983b)

31, bringing the total to 138 species. The present revision lists 190 species from this country. In comparison 196 species have been published from Denmark (Lundbeck 1927), 202 from Finland (Hackman 1980, as Tachinidae and Phasiidae), 257 from Sweden (Ringdahl 1952) and 238 from the British Isles (Crosskey 1975). Many species therefore undoubtedly still await discovery in this country.

The subfamilial and tribal classification adopted are based on Crosskey (1973, 1975, 1976, 1977, 1980). The tribes Phaniini, Eriothrixini, Digonochaetini, Eryciini and Goniini are not mentioned by Crosskey or are not equivalent to groups similarly named in his work. They correspond to Phaniina of Mesnil (1966:882), Eriothrixina of Mesnil (1966: 882; 1975: 1310), Digonochaetina of Mesnil (1966: 882; 1973: 1211), Eryciini (minus Winthemina) of Mesnil (1975: 1382) and Goniini of Mesnil (1975: 1375), respectively. Generic limits generally follow Mesnil (1944—1975, 1980) and (for Siphonini) Andersen (1983). Spellings of generic and specific names follow Crosskey (l.c.). Emendments and variant spellings, though numerous in the literature, have not been included. Generic synonyms are included when based on nominal type-species belonging to the Norwegian fauna (i.e. occurring in the list as valid names or synonyms). Several specific synonyms have been included, many used in scandinavian tachinid literature, mainly to aid in recognition of the species involved. Synonyms have been taken from Lundbeck (1927), Mesnil (see references in Rognes 1981), Ringdahl (1945), Crosskey (l.c.) and the numerous revisions of the European fauna published by Herting (mainly in *Stuttgarter Beiträge zur*

1) Paper no. 6 in a series based on investigations financed by a grant («vikarstipend») from Stavanger Lærerhøgskole 1982—1983.

Naturkunde) (see Zoological Record or other abstracting publication for references). In the list generic and specific synonyms are indented relative to valid names. Superscript numbers refer to the numbered annotations at the end of the list

Family Tachinidae

Subfamily Phasiinae

Tribe Phasiini

- Alophora* Robineau-Desvoidy, 1830
- Hyalomya* Robineau-Desvoidy, 1830
- Paralophora* Girschner, 1887
- Alophorella* Townsend, 1912
- obesa* (Fabricius, 1798)
- flavipennis* (Zetterstedt, 1844)
- pusilla* (Meigen, 1824)
- Gymnosoma* Meigen, 1803
- Rhodogyne* Meigen, 1800, suppressed
- Cistogaster* Latreille, 1829
- Pallasia* Robineau-Desvoidy, 1830
- clavatatum* (Rodendorf, 1947)
- verbekei* (Mesnil, 1952)
- globosum* (Fabricius, 1775)
- nudifrons* Herting, 1966¹
- Subclytia* Pandellé, 1894
- rotundiventris* (Fallén, 1820)

Tribe Catharosiini

- Catharosia* Rondani, 1856
- pygmaea* (Fallén, 1820)
- nana* (Fallén, 1820)

Tribe Cylindromyiini

- Cylindromyia* Meigen, 1803
- Ocypterula* Rondani, 1856
- Ocyptera*: authors, not Latreille (misidentification)
- brassicaria* (Fabricius, 1775)
- interrupta* (Meigen, 1824)
- pusilla* (Meigen, 1824)
- Lophosia* Meigen, 1824
- fasciata* Meigen, 1824

Tribe Cinochirini

- Cinochira* Zetterstedt, 1845
- atra* Zetterstedt, 1845

Tribe Phaniini

- Phania* Meigen, 1824
- Weberia*: authors, not Robineau-Desvoidy (misidentification)
- thoracica* (Meigen, 1824)

Subfamily Dufouriinae

Tribe Dufouriini

- Anthomyiopsis* Townsend, 1916
- Ptilopsina* Villeneuve, 1920
- nigrisquamata* (Zetterstedt, 1838)
- nierisquama* (Zetterstedt, 1844)

pullula (Zetterstedt, 1844)

nitens (Zetterstedt, 1852)

Dufouria Robineau-Desvoidy, 1830

Minella: authors, not Robineau-Desvoidy (misidentification)

chalybeata (Meigen, 1824)

Freraea Robineau-Desvoidy, 1830

Gymnopeza Zetterstedt, 1838

gagatea Robineau-Desvoidy, 1830

albipennis (Zetterstedt, 1838)

denudata (Zetterstedt, 1844)

Rondania Robineau-Desvoidy, 1850

dimidiata (Meigen, 1824)

opaca (Zetterstedt, 1838)

ruficeps (Zetterstedt, 1838)

fasciata (Macquart, 1834)

Subfamily Dexiinae (Proseniinae)

Tribe Dexiini (Proseniini)

- Billaea* Robineau-Desvoidy, 1830
- Sirostoma* Rondani, 1862
- Gymnodexia* Brauer & Bergenstamm, 1891
- triangulifera* (Zetterstedt, 1844)
- Dexia* Meigen, 1826
- Dexillina* Kolomiets, 1969
- vacua* (Fallén, 1817)
- Dinera* Robineau-Desvoidy, 1830
- Phorostoma* Robineau-Desvoidy, 1830
- Myocera* Robineau-Desvoidy, 1830
- Myocerops* Townsend, 1916
- carinifrons* (Fallén, 1817)
- ferina* (Fallén, 1817)
- grisescens* (Fallén, 1817)
- Estheria* Robineau-Desvoidy, 1830
- bohemani* Rondani, 1862
- Murana* Meigen, 1824
- alpina* (Meigen, 1824)
- caerulescens* (Meigen, 1824)
- lapponica* (Zetterstedt, 1838)
- limbata* (Zetterstedt, 1838)
- obscura* (Zetterstedt, 1838)
- Prosenia* Le Peletier & Serville, 1828
- Callirhoe* Meigen, 1800, suppressed
- siberita* (Fabricius, 1775)
- Trixa* Meigen, 1824
- vartegata* Meigen, 1824
- oestroidea* (Robineau-Desvoidy, 1830)

Subfamily Tachininae

Tribe Campylochetiini

- Campylocheta* Rondani, 1859
- Frivaldzka* Schiner, 1861
- Elpe* Robineau-Desvoidy, 1863
- Hypochaeta* Brauer & Bergenstamm, 1889
- inepta* (Meigen, 1824)
- pectinata* (Zetterstedt, 1844)
- praecox* (Meigen, 1824)
- pantherina* (Zetterstedt, 1844)

- Tribe Voriini
Athrycia Robineau-Desvoidy, 1830
Blepharigena Rondani, 1856
Paraplagia Brauer & Bergenstamm, 1891
curvinervis (Zetterstedt, 1844)
ruficornis (Zetterstedt, 1844)
impressa (Wulp, 1869)
trepida (Meigen, 1824)
subcincta (Zetterstedt, 1844)
Chaetovoria Villeneuve, 1920
Pseudovoria Ringdahl, 1942
antennata (Villeneuve, 1920)
Cyrtophleba Rondani, 1856
ruricola (Meigen, 1824)
Klugia Robineau-Desvoidy, 1863
Ptilopareia Brauer & Bergenstamm, 1889
marginata (Meigen, 1824)
Voria Robineau-Desvoidy, 1830
Plagia Meigen, 1838
ruralis (Fallén, 1810)
- Tribe Wagneriini
Aphelogaster Aldrich, 1934
alpina (Villeneuve, 1910)
Peteina Meigen, 1838
erinaceus (Fabricius, 1796)
Ramonda Robineau-Desvoidy, 1863
Ateria Robineau-Desvoidy, 1863
latifrons (Zetterstedt, 1844)
prunaria (Rondani, 1861)
carbonaria: authors, not Panzer (misidentification)
ringdahli (Villeneuve, 1922)
spathulata (Fallén, 1820)
Wagneria Robineau-Desvoidy, 1830
Carbonia Robineau-Desvoidy, 1863
costata (Fallén, 1820)
- Tribe Phyllomyiini
Phyllomya Robineau-Desvoidy, 1830
Sericocera Macquart, 1834
Melania Meigen, 1838, preocc.
Melanota Rondani, 1857
volvulus (Fabricius, 1794)
- Tribe Eriothrixini
Blepharomyia Brauer & Bergenstamm, 1889
pagana (Meigen, 1824)
amplicornis (Zetterstedt, 1844)
piliceps (Zetterstedt, 1859)
collini Wainwright, 1928
Eriothrix Meigen, 1803
Olivieria Robineau-Desvoidy, 1830
Feria Robineau-Desvoidy, 1830
prolixa (Meigen, 1824)
rufomaculata (De Geer, 1776)
lateralis (Fabricius, 1781)
monochaeta Wainwright, 1928
- Tribe Thelairini
Thelaira Robineau-Desvoidy, 1830
nigripes (Fabricius, 1794)
- lateralis* (Fallén, 1817)
nigrina (Fallén, 1817)
solvivaga (Harris, 1776)
abdominalis Robineau-Desvoidy, 1830
- Tribe Microphthalmini
Dexiosoma Rondani, 1856
caninum (Fabricius, 1781)
- Tribe Digonochaetini
Triarthria Stephens, 1829
Bigonicheta Rondani, 1845
setipennis (Fallén, 1810)
spinipennis (Meigen, 1824)
- Tribe Macquartiini
Cleonice Robineau-Desvoidy, 1863
Steinia Brauer & Bergenstamm, 1893, preocc.
Steiniella Berg, 1898, preocc.
callida (Meigen, 1824)
rotundicornis (Zetterstedt, 1838)
protuberans (Zetterstedt, 1844)
congenita (Zetterstedt, 1859)
Macquartia Robineau-Desvoidy, 1830
Albiniola Mesnil, 1972
nudigena Mesnil, 1972
tenebricosa (Meigen, 1824)
nitida (Zetterstedt, 1838)
Pelatachina Meade, 1894
Hyria Robineau-Desvoidy, 1863, preocc.
tibialis (Fallén, 1810)
Pseudopachystylum Mik, 1891
goniaeoides (Zetterstedt, 1838)
Zophomyia Macquart, 1835
Erebia Robineau-Desvoidy, 1830, preocc.
temula (Scopoli, 1763)
- Tribe Loewiini
Loewia Egger, 1856
Fortisia Rondani, 1861
foeda (Meigen, 1824)
phaeoptera (Meigen, 1824)²
- Tribe Nemoraeini
Nemoraea Robineau-Desvoidy, 1830
pellucida (Meigen, 1824)
vulnerata (Zetterstedt, 1849)
- Tribe Germariini
Germaria Robineau-Desvoidy, 1830
Atractochaeta Brauer & Bergenstamm, 1889
Atractogonia Townsend, 1932
ruficeps (Fallén, 1820)
- Tribe Leskiini
Aphria Robineau-Desvoidy, 1830
longilingua Rondani, 1861
longirostris (Meigen, 1824)
abdominalis Robineau-Desvoidy, 1830
soror (Zetterstedt, 1844)
Demoticus Macquart, 1854
plebejus (Fallén, 1810)

Leskia Robineau-Desvoidy, 1830
aurea (Fallén, 1820)
Solieria Robineau-Desvoidy, 1849
Myobia Robineau-Desvoidy, 1830, preocc.
Anthoica Rondani, 1861
Micromyiobia Brauer & Bergenstamm, 1891
pacifica (Meigen, 1824)

Tribe Ernestiini

Appendicia Stein, 1924
truncata (Zetterstedt, 1838)
Ernestia Robineau-Desvoidy, 1830
Panzeria Robineau-Desvoidy, 1830
rudis (Fallén, 1810)
Eurithia Robineau-Desvoidy, 1844
Erigone Robineau-Desvoidy, 1830, preocc.
Varichaeta Speiser, 1903
anthophila (Robineau-Desvoidy, 1830)
radicum: authors, not Linnaeus (misidentification)
caesia (Fallén, 1810)
connivens (Zetterstedt, 1844)
consobrina (Meigen, 1824)
vivida (Zetterstedt, 1838)
Gymnocheta Robineau-Desvoidy, 1830
Chrysosoma Macquart, 1834, preocc.
viridis (Fallén, 1810)
Hyalurgus Brauer & Bergenstamm, 1893
Parastauferia Pokoli, 1893
crucigerus (Zetterstedt, 1838)
alpina Pokoli, 1893
lucidus (Meigen, 1824)

Tribe Linnaemyini

Linnaemya Robineau-Desvoidy, 1830
Micropalpis Macquart, 1834
perinealis Pandellé, 1895
vulpina (Fallén, 1810)
Lydina Robineau-Desvoidy, 1830
aenea (Meigen, 1824)
crassitarsis (Zetterstedt, 1838)
grossicornis (Zetterstedt, 1838)
simplicitarsis (Zetterstedt, 1838)
Lypha Robineau-Desvoidy, 1830
Aporomyia Rondani, 1859
Micronychia Brauer & Bergenstamm, 1889
Eversmania: authors, not Robineau-Desvoidy (misidentification)
dubia (Fallén, 1810)
umbrinervis (Zetterstedt, 1844)
ruficauda (Zetterstedt, 1838)
maculipennis (Zetterstedt, 1844)

Tribe Tachinini

Nowickia Wachtl, 1894
alpina (Zetterstedt, 1849)³
marklini (Zetterstedt, 1838)
regalis (Rondani, 1859)
Peleteria Robineau-Desvoidy, 1830
rubescens (Robineau-Desvoidy, 1830)
nigricornis (Meigen, 1838)

Tachina Meigen, 1803
Larvaevora Meigen, 1800, suppressed
Echinomye Duméril, 1800, unavailable (vernacular)
Echinomya Latreille, 1805
fera (Linnaeus, 1761)
grossa (Linnaeus, 1758)
tessellata (Fabricius, 1794)
vernalis (Robineau-Desvoidy, 1830)
magnicornis (Zetterstedt, 1844)

Subfamily Goniinae

Tribe Nearini

Elfia Robineau-Desvoidy, 1850
Craspedothrix Brauer & Bergenstamm, 1893
Procraspedothrix Townsend, 1932
cingulata (Robineau-Desvoidy, 1830)⁴
minutissima (Zetterstedt, 1844)⁴
Phytomyptera Rondani, 1845
nigrina (Meigen, 1824)
nitidiventris (Rondani, 1845)

Tribe Siphonini

Actia Robineau-Desvoidy, 1830
Thryptocera Macquart, 1834
Entomophaga Lioy, 1864
Gymnophthalma Lioy, 1864
Gymnopareia Brauer & Bergenstamm, 1889
crassicornis (Meigen, 1824)
dubitata Herting, 1971
lamia (Meigen, 1838)
frontalis (Macquart, 1845)
maksymovi Mesnil, 1952
nigroscutellata Lundbeck, 1927
nudibasis Stein, 1924
pilipennis (Fallén, 1810)
Asiphona Mesnil, 1954
verralli (Wainwright, 1928)
Ceromya Robineau-Desvoidy, 1830
bicolor (Meigen, 1824)
Peribaea Robineau-Desvoidy, 1863
Herbstia Robineau-Desvoidy, 1851, preocc.
Strobliomyia Townsend, 1926
fissicornis (Strobl, 1910)
Siphona Meigen, 1803
Crocuta Meigen, 1800, suppressed
Bucentes Latreille, 1809
boreata Mesnil, 1960
collini Mesnil, 1960
confusa Mesnil, 1961
cristata (Fabricius, 1805)
palpina Zetterstedt, 1859
flavifrons Stæger, 1849
geniculata (De Geer, 1776)
minuta (Fabricius, 1805)
grandistyla Pandellé, 1849⁵
maculata Stæger, 1849
mesnili Andersen, 1982
nigricans (Villeneuve, 1930)
hokkaidensis Mesnil, 1957
silvarum Herting, 1967

- paludosa* Mesnil, 1960
pauciseta Rondani, 1865
delicazula Mesnil, 1960
rossica Mesnil, 1961
setosa Mesnil, 1960
- Tribe Blondeliini
Belida Robineau-Desvoidy, 1863
Aporotachina Meade, 1894
angelicae (Meigen, 1824)
futilis (Zetterstedt, 1844)
Blondelia Robineau-Desvoidy, 1830
nigripes (Fallén, 1820)
Istocheta Rondani, 1859
Hyperecteina Schiner, 1861
longicornis (Fallén, 1810)
Leiophora Robineau-Desvoidy, 1863
Arrhinomyia Brauer & Bergenstamm, 1889
Apatelia Stein, 1924, preocc.
innoxia (Meigen, 1824)⁶
spathulaejormis (Zetterstedt, 1838)
spathulaecornis (Zetterstedt, 1844)
cylindracea (Zetterstedt, 1844)
Medina Robineau-Desvoidy, 1830
Degeeria Meigen, 1838
Mollia Robineau-Desvoidy, 1863
Velocia Robineau-Desvoidy, 1863
Amedoria Brauer & Bergenstamm, 1889
collaris (Fallén, 1820)
luctuosa (Meigen, 1824)
separata (Meigen, 1824)
Meigenia Robineau-Desvoidy, 1830
Spylosia Rondani, 1856
dorsalis (Meigen, 1824)
discolor (Zetterstedt, 1838)
pilosa Baranov, 1927
mutabilis (Fallén, 1810)
bisignata (Meigen, 1824)
Oswaldia Robineau-Desvoidy, 1863
Phaedima Robineau-Desvoidy, 1863
Dexodes Brauer & Bergenstamm, 1889
muscaria (Fallén, 1810)
sordidisquama (Zetterstedt, 1844)
spectabilis (Meigen, 1824)
albisquama (Zetterstedt, 1844)
Policheta Rondani, 1856
Pericheta Rondani, 1859
unicolor (Fallén, 1820)⁷
junebris (Zetterstedt, 1838)
Staurochaeta Brauer & Bergenstamm, 1889
albocingulata (Fallén, 1820)
Trichopareia Brauer & Bergenstamm, 1889
Admontia Brauer & Bergenstamm, 1889
blanda (Fallén, 1820)
grandicornis (Zetterstedt, 1849)
laticornis (Zetterstedt, 1838), preocc.
albicincta (Zetterstedt, 1838)
Zaira Robineau-Desvoidy, 1830
Fabricia Meigen, 1838, preocc.
Sitophaga Gistel, 1848
Biomya Rondani, 1856
Viviania Rondani, 1861
- cinerea* (Fallén, 1810)
usta (Zetterstedt, 1844)
- Tribe Exoristini
Chetogena Rondani, 1856
Salia Robineau-Desvoidy, 1830, preocc.
Spoggosia Rondani, 1859
obliquata (Fallén, 1810)
gramma (Meigen, 1824)
echinura (Robineau-Desvoidy, 1830)
occlusa (Rondani, 1859)
Exorista Meigen, 1803
Zelleria Robineau-Desvoidy, 1863
Adenia Robineau-Desvoidy, 1863
Guerinia: authors, not Robineau-Desvoidy (misidentification)
Tachina: authors, not Meigen (misidentification)
fasciata (Fallén, 1820)
nitidiventris (Zetterstedt, 1859)
mimula (Meigen, 1824)
verax (Robineau-Desvoidy, 1863)
minor (Wainwright, 1932)
nigricans: Emden, 1954, not Egger (misidentification)
rustica (Fallén, 1810)
Phorocera Robineau-Desvoidy, 1830
obscura (Fallén, 1810)
vernalis Robineau-Desvoidy, 1830
- Tribe Winthemiini
Nemorilla Rondani, 1856
maculosa (Meigen, 1824)
Rhaphiochaeta Brauer & Bergenstamm, 1889
breviseta (Zetterstedt, 1838)⁸
vulneraticornis (Zetterstedt, 1859)
Timavia Robineau-Desvoidy, 1863
Omotoma Lioy, 1864
Nemosturmia Townsend, 1926
Chetoliga: authors, not Rondani (misidentification)
amoena (Meigen, 1824)
Winthemia Robineau-Desvoidy, 1830
bohemanni (Zetterstedt, 1844)
erythrura (Meigen, 1838)
quadripustulata (Fabricius, 1794)
- Tribe Goniini
Allophorocera Hendel, 1901
Erycina Mesnil, 1955, preocc.
Erycilla Mesnil, 1957
ferruginea (Meigen, 1824)
Bothria Rondani, 1856
Chariclea Robineau-Desvoidy, 1863
frontosa (Meigen, 1824)
pascuorum Rondani, 1859
coxalis (Robineau-Desvoidy, 1863)
subalpina Villeneuve, 1910
Brachicheta Rondani, 1861
strigata (Meigen, 1824)
hystrix (Zetterstedt, 1844)
spinigera Rondani, 1861
Cyzenis Robineau-Desvoidy, 1863

- Monochaeta* Brauer & Bergenstamm, 1889
albicans (Fallén, 1810)
perturbans (Zetterstedt, 1844)
Elodia Robineau-Desvoidy, 1863
Pentamyia Brauer & Bergenstamm, 1889
ambulatoria (Meigen, 1824)
convexifrons (Zetterstedt, 1844)
cloacellae (Kramer, 1910)
morio (Fallén, 1820)⁹
tragica (Meigen, 1824)
Erynnia Robineau-Desvoidy, 1830
ocyptrata (Fallén, 1810)
nitida Robineau-Desvoidy, 1830
ocyptrina (Zetterstedt, 1838)
Eumea Robineau-Desvoidy, 1830
Epimasicera Townsend, 1912
linearicornis (Zetterstedt, 1844)
westermanni (Zetterstedt, 1844), preocc.
spernenda (Zetterstedt, 1844)
locuples Robineau-Desvoidy, 1863
Frontina Meigen, 1838
laeta (Meigen, 1824)
laetabilis (Zetterstedt, 1844)
Gonia Meigen, 1803
Salmacia Meigen, 1800, suppressed
Reaumuria Robineau-Desvoidy, 1830
capitata (De Geer, 1776)
ornata Meigen, 1826
lateralis Zeller, 1842
sicula Robineau-Desvoidy, 1830
fasciata Meigen, 1826, preocc.
picea Robineau-Desvoidy, 1830
Myxexoristops Townsend, 1911
blondeli (Robineau-Desvoidy, 1830)
arctica (Zetterstedt, 1838)
pexops (Brauer & Bergenstamm, 1891)
stolida (Stein, 1924)
nox (Hall, 1937)
Ocytata Gistel, 1848
Roeselia Robineau-Desvoidy, 1830, preocc.
Racodineura Rondani, 1861
pallipes (Fallén, 1820)
antiqua (Meigen, 1824)
Onychogonia Brauer & Bergenstamm, 1889
cervini (Bigot, 1881)
flaviceps (Zetterstedt, 1838)
interrupta (Rondani, 1859)
Platymya Robineau-Desvoidy, 1830
fimbriata (Meigen, 1824)
nemestrina (Meigen, 1824)
hyalinipennis (Zetterstedt, 1838)
tringulata (Zetterstedt, 1838)
hyalipennis (Zetterstedt, 1844)
Zenillia Robineau-Desvoidy, 1830
libatrix (Panzer, 1798)
 Tribe Eryciini
Aplomya Robineau-Desvoidy, 1830
confinis (Fallén, 1820)
bicingulata (Zetterstedt, 1844)
Cadurciella Villeneuve, 1927
tritaenata (Rondani, 1859)
Carcelia Robineau-Desvoidy, 1830
Paraexorista Brauer & Bergenstamm, 1889
atricosta Herting, 1961
lucorum (Meigen, 1824)
cheloniae (Rondani, 1859)
gnava: authors, not Meigen (misidentification)
Drino Robineau-Desvoidy, 1863
Phorcida: authors, not Robineau-Desvoidy (misidentification)
lota (Meigen, 1824)
vicina (Zetterstedt, 1848)
Epicampocera Macquart, 1850
succincta (Meigen, 1824)
Huebneria Robineau-Desvoidy, 1848
affinis (Fallén, 1810)
Lydella Robineau-Desvoidy, 1830
ripae (Brischke, 1885)
stabulans (Meigen, 1824)
Madremyia Townsend, 1916
clausa (Villeneuve, 1937)
Nilea Robineau-Desvoidy, 1863
Lylibaea Robineau-Desvoidy, 1863
Himera Robineau-Desvoidy, 1863, preocc.
hortulana (Meigen, 1824)
innoxia Robineau-Desvoidy, 1863
lethifera (Pandellé, 1895)
rusticuteellaris (Zetterstedt, 1859)
temeraria (Robineau-Desvoidy, 1863)
tomentosa (Robineau-Desvoidy, 1863)
abnormis (Brischke, 1885)
boettcheri (Villeneuve, 1919)
Periarchiclops Villeneuve, 1924
scutellaris (Fallén, 1820)
abbreviata (Zetterstedt, 1859)
Phebellia Robineau-Desvoidy, 1846
Melibaea Robineau-Desvoidy, 1847, preocc.
glauca (Meigen, 1824)
aurulenta (Robineau-Desvoidy, 1847)
glaucoides Herting, 1961
strigifrons (Zetterstedt, 1838)¹⁰
diligens (Zetterstedt, 1844)
lapponica (Ringdahl, 1942)
stulta (Zetterstedt, 1844)
obesa (Zetterstedt, 1859)
quadriseta (Villeneuve, 1910)
cotei (Grilat, 1915)
villica (Zetterstedt, 1838)
aestivalis Robineau-Desvoidy, 1846
ingens (Brauer & Bergenstamm, 1891)
Phryxe Robineau-Desvoidy, 1830
magnicornis (Zetterstedt, 1838)
longicauda Wainwright, 1940
vulgaris (Fallén, 1810)
praetervisa (Zetterstedt, 1844)
rotundaticornis (Zetterstedt, 1844)
Pseudoperichaeta Brauer & Bergenstamm, 1889
palesioidea (Robineau-Desvoidy, 1830)
trizonata (Zetterstedt, 1844)
major Brauer & Bergenstamm, 1889
hirta: authors, not Bigot (misidentification)
Senometopia Macquart, 1834

Eucarcelia Baranov, 1934
bombycivora (Robineau-Desvoidy, 1830)
separata (Rondani, 1859)
pollinosa (Mesnil, 1941)
obesa (Boheman, 1863), preocc.
obesa: authors, not Zetterstedt (misidentification)
rutilla: authors, not Rondani (misidentification)
Tlephusa Robineau-Desvoidy, 1863
cincinna (Rondani, 1859)
honesta (Robineau-Desvoidy, 1863)
diligens: authors, not Zetterstedt (misidentification)
Xylotachina Brauer & Bergenstamm, 1891
diluta (Meigen, 1824)
ligniperdae Brauer & Bergenstamm, 1891

Unrecognised species
Micra Zetterstedt, 1838
trixina Zetterstedt, 1838¹¹

Annotations

- (1) *Gymnosoma nudifrons* Herting. Material reported as *Gymnosoma rotundatum* (L.) by Rognes (1981) belongs to *nudifrons*.
- (2) *Loewia phaeoptera* (Meigen). Based on a single male in the Oslo collection labelled «*Loewia* ? *phaeoptera* Meig.» by Herting.
- (3) *Nowickia alpina* (Zetterstedt). Material reported as *Nowickia marklini* (Zetterstedt) by Rognes (1981) belongs to *alpina*.
- (4) *Elfia cingulata* (Robineau-Desvoidy) and *Elfia minutissima* (Zetterstedt). Stig Andersen (Copenhagen) has examined and identified the available material (in litt. 5.ix.1983).
- (5) *Siphona grandistyla* Pandellé. Not seen. Included on the basis of a record in Andersen (1982).
- (6) *Leiophora innoxia* (Meigen). I have only seen the holotype «♂» of *Tachina spathulaeformis* Zetterstedt, 1838: 637 and (automatically) *Tachina spathulaecornis* Zetterstedt, 1844: 1065 from Norway (Dovre, Boheman leg.), which according to Ringdahl (1934, 1945) belongs to the present species. B. Herting has given the specimen a holotype label and an identification label reading «*Leiophora innoxia* Meig. ♀ B. Herting det.»
- (7) *Policheta unicolor* (Fallén). The holotype ♀ of *Tachina funebris* Zetterstedt, 1838: 647 is from Norway (Dovre, Boheman leg.). This is a synonym of *Tachina unicolor* Fallén, 1820 according to Zetterstedt (1844: 1166—1167 and Mesnil (1961: 660). I have examined 4 ♂♂ from Dovre in the Boheman collection previously seen by Zetterstedt (1844: 1166—1167, as ♀♀). The holotype of *funebris* is probably among them but cannot be recognised as such on the basis of the labels (3 specimens labelled «Nv.alp.» and 1 «Dv.»). All agree with Mesnil's (1961) concept of *unicolor* Fallén. I have not seen further Norwegian material.
- (8) I have examined a ♂ syntype of *Tachina breviseta* Zetterstedt, 1838: 645 from Dovre (labelled «Nv.alp.») in the Boheman collection, which agrees with Mesnil's (1949) concept of *breviseta*. I have also seen a male from Aurland in Museum of Zoology, Lund (Ringdahl leg.) (cf. Ringdahl 1954).
- (9) *Elodia morio* (Fallén). Recorded from Norway by Zetterstedt (1838: 639—640, 1844: 1076—1077) and Ringdahl (1952). I have examined a male specimen from Dovre (Boheman leg.) in Zetterstedt's Insecta Lapponica collection in Museum of Zoology, Lund. No further Norwegian material has been available.
- (10) *Phebellia strigifrons* (Zetterstedt). Not seen. Holotype ♂ of *Tachina strigifrons* Zetterstedt, 1838 and lectotype ♀ of *Tachina diligens* Zetterstedt, 1844 (cf. Herting 1982) are both from Norway.
- (11) *Micra trixina* Zetterstedt. Holotype ♂ from Norway (cf. Zetterstedt 1838: 631) is apparently lost (cf. Mesnil 1975: 1369) and its identity unknown.

ACKNOWLEDGEMENTS

Many thanks are due to L. Greve Jensen, Museum of Zoology, Bergen, J.E. Raastad, Museum of Zoology, Oslo, and A. Fjellberg, Tromsø Museum, for having made the collections of calypterate Diptera in their care available to me; to S. Andersen, Copenhagen, and B. Herting, Ludwigsburg, for having checked my identification of a number of difficult species; to R. Danielsson, Lund, and P.I. Persson, Stockholm, for loan of material from coll. Ringdahl and Zetterstedt, and coll. Boheman, respectively; to K. Berggren, B. Sagvolden and J.H. Simonsen for letting me see their collections; and to T. Jonassen, F. Midtgaard, T.R. Nielsen, A.-J. Nilsen, G. Sanson, J.H. Simonsen and S. Svendsen for gift of valuable specimens. The grant from Stavanger Lærerhøgskole 1982—1983 is gratefully acknowledged.

REFERENCES

- Andersen, S. 1982. Revision of European species of *Siphona* Meigen (Diptera: Tachinidae). *Ent. scand.* 13, 149—172.
 — 1983. Phylogeny and classification of Old World genera of Siphonini (Diptera: Tachinidae). *Ent. scand.* 14, 1—15.
 Bidentkap, O. 1892. Undersøgelser over Diptera Bra-chycera i Jarlsberg og Laurvigs amt sommeren 1891. *Ent. Tidskr.* 13, 225—246.

- 1898. Diptera Brachycera fra Jarlsberg. *Tromsø Mus. Aarsh.* 19 (1896), 147—150.
- 1901. Foreløbig oversigt over de i det arktiske Norge hidtil bemærkede Diptera Brachycera. *Tromsø Mus. Aarsh.* 23 (1900), 13—112.
- Crosskey, R.W. 1973. A conspectus of the Tachinidae (Diptera) of Australia, including keys to the supraspecific taxa and taxonomic and host catalogues. *Bull. Br. Mus. nat. Hist.* (Ent.) Suppl. 21, 1—221.
- 1975. 78. Tachinidae. — In: Kloet, G.S. & Hincks, W.D. (eds.), A check list of British insects. Second edition. Part 5: Diptera and Siphonaptera. *Handbk Ident. Br. Insects* 9 (5), 95—105.
- 1976. A taxonomic conspectus of the Tachinidae (Diptera) of the Oriental Region. *Bull. Br. Mus. nat. Hist.* (Ent.) Suppl. 26, 1—357.
- 1977. Family Tachinidae. — In: Delfinado, M.D. & Hardy, D.E. (eds.), *A catalog of the Diptera of the Oriental Region, Volume III, suborder Cyclorrhapha (excluding Division Aschiza)*, pp. 586—697. The University Press of Hawaii, Honolulu.
- 1980. 93. Family Tachinidae. — In: Crosskey, R.W. (ed.), *Catalogue of the Diptera of the Afro-tropical Region*, pp. 822—882. British Museum (Natural History), London.
- Hackmann, W. 1980. A check list of Finnish Diptera II. Cyclorrhapha. *Notul. ent.* 60, 117—162.
- Herting, B. 1982. Beiträge zur Kenntnis der paläarktischen Raupenfliegen (Dipt. Tachinidae), XVI. *Stuttg. Beitr. Naturk. (A)* 358, 1—13.
- Lundbeck, W. 1927. *Diptera Danica. Part VII. Platypezidae, Tachinidae*. G.E.C. Gad, Copenhagen.
- Mesnil, L.P. 1944—1975. 64 g. Larvaevorinae (Tachinidae). — In: Lindner, E. (ed.), *Die Fliegen der Palaearktischen Region* 10, 1—1435.
- 1980. 64 f. Dexiinae. — In: Lindner, E. (ed.), *Die Fliegen der Palaearktischen Region* 9 (Lieferung 323), 1—52.
- Ringdahl, O. 1934. Bidrag til kannedomen om en del av Zetterstedts tachinid-typer (Diptera). *Ent. Tidskr.* 55, 266—272.
- 1944a. Revision av Vilhelm Storms Diptersamling I. Familjen Tachinidae. *K. Norske Vidensk. Selsk. Forh.* 17 (19), 79—81.
- 1944b. Contributions to the knowledge of the tachinids and muscids of Norway. *Tromsø Mus. Aarsh.* 65 (1942) (4), 1—27.
- 1945. Förteckning över de av Zetterstedt i Insecta Lapponica och Diptera Scandinaviae beskrivna tachiniderna med synonymer jämte anteckningar över en del arter. *Opusc. ent.* 10, 26—35.
- 1952. Catalogus Insectorum Sueciae XI Diptera Cyclorrhapha: Muscaria Schizometopa. *Opusc. ent.* 17, 129—186.
- 1954. Nya fyndorter för norska Diptera. *Norsk ent. Tidsskr.* 9, 46—54.
- Rognes, K. 1981. Recent records of Tachinidae and Rhinophoridae (Dipt.) from Norway. *Fauna norv. Ser. B.* 28, 102—114.
- 1982. A small collection of calypterate Diptera (Tachinidae, Sarcophagidae, Calliphoridae, Muscidae) from the Dovre mountains, Southern Norway. *Fauna norv. Ser. B.* 29, 110—114.
- 1983a. Some Diptera (Tachinidae, Calliphoridae, Fanniidae, Muscidae) from the mountains of the Finse area, Southern Norway. *Fauna norv. Ser. B.* 30, 25—33.
- 1983b. Additions to the Norwegian fauna of calypterate Diptera (Tachinidae, Calliphoridae, Muscidae). *Fauna norv. Ser. B.* 30, 88—93.
- Schøyen, W.M. 1889. Supplement til H. Siebke's Enumeratio Insectorum Norvegicorum, Fasc. IV. (Diptera) *Christiania Vidensk. Selsk. Forh.* 1889 (12), 1—15.
- Siebke, J.H.S. 1877. *Enumeratio Insectorum Norvegicorum Fasciculum IV. Catalogum Dipterum Continentem*. A.W. Brøgger, Christiania, 255 pp.
- Zetterstedt, J.W. 1838. Sectio Tertia Diptera. Pp. 477—868 in his *Insecta Lapponica*, 1140 pp, Lipsiae (= Leipzig), «1840».
- 1844. *Diptera Scandinaviae disposita et descripta*, 3, 895—1280. Lundae (= Lund).

Received 17 Aug. 1984